

FROM THE MAKERS OF  
**MONISTAT**

1 Ready-to-Use Prefilled Applicator

**1-DAY**

QUESTIONS: MONISTAT offers a 24 hour answer line. Nurses are available during business hours. Call 1-877-MONISTAT or visit our website @ www.monistat.com

**1-Dose Treatment**

**1-DAY**<sup>TM</sup>  
Tioconazole Ointment 6.5%  
Vaginal Antifungal

CURES MOST VAGINAL YEAST INFECTIONS



1 Prefilled Applicator

One 4.6g (0.16 oz) Applicator



**DO NOT OPEN IF SEALED FOIL PACKET IS TAMPER-EVIDENT UNIT**

If you have any questions or comments, please call 1-877-MONISTAT or visit our website at www.monistat.com



**Warnings**  
For vaginal use only  
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor  
If you have a fever higher than 100 F, burn in the breast abdomen, back or other shoulder, or bad-smelling vaginal discharge, you should see a doctor for these symptoms  
Ask a doctor before use if you have:  
- vaginal itching and burning for the first time  
- symptoms that return within 2 months after treatment  
- a yeast infection or other vaginal condition that has not been treated  
- are taking oral contraceptives or other hormonal products  
- do not use condoms, diaphragms, or other vaginal products  
- are not sure about pregnancy or whether you are pregnant  
- are taking any other drugs (including prescription and over-the-counter medicines)  
- are taking any medicine for HIV - the virus that causes AIDS  
When using this product:  
- do not use condoms, diaphragms, or other vaginal products  
- do not use tampons or applicators as the product may damage them and they may not prevent sexually transmitted disease or pregnancy  
- do not have vaginal intercourse  
Stop use and ask a doctor if:  
- you get a rash, hives, abdominal pain, or a full-thickness vaginal discharge  
- symptoms do not get better in 3 days  
- symptoms that return after treatment  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
Directions  
- Before using, read the enclosed brochure and instructions on the packet  
- Adults and children 12 years and over: open the foil packet and use applicator as directed  
- Children under 12: see a doctor  
Other information  
- Most women do not experience complete relief of their symptoms until one day after treatment  
- Most women experience some improvement within 1 day and complete relief of symptoms within 7 days  
- If you have questions about vaginal yeast infections, consult your doctor  
Inactive ingredients  
- polyethylene glycol, polyethylene glycol 400, polyethylene glycol 150, polyethylene glycol 200, polyethylene glycol 300, polyethylene glycol 400, polyethylene glycol 600, polyethylene glycol 800, polyethylene glycol 1000, polyethylene glycol 1500, polyethylene glycol 2000, polyethylene glycol 3000, polyethylene glycol 4000, polyethylene glycol 6000, polyethylene glycol 8000, polyethylene glycol 10000, polyethylene glycol 15000, polyethylene glycol 20000, polyethylene glycol 30000, polyethylene glycol 40000, polyethylene glycol 60000, polyethylene glycol 80000, polyethylene glycol 100000  
Questions or comments? 1-877-666-4732

FROM THE MAKERS OF  
**MONISTAT**

1-DOSE TREATMENT CURES MOST VAGINAL YEAST INFECTIONS



EMBOSSED AREA FOR LOT NUMBER AND EXPIRATION DATE

EMBOSSED AREA FOR LOT NUMBER AND EXPIRATION DATE

GLUE AREA NO INK NO COATING

THOMAS J. PAUL INC.  
1061 Rydal Road, Rydal, PA 19046 • tel 215-886-3220

Spot Color Inks

PANTONE 109	PANTONE 289	PANTONE 228	PANTONE 300	PANTONE 300	PANTONE 400	VARNISH

- 10 point Helvetica Bold Italic Title
- 8 point Helvetica Bold Italic Headings
- 6 point Helvetica Bold Subheads
- 6 point Helvetica Regular Text
- 6.5 point Leading
- 2.5 point box hairline
- 2.5 point hairline
- 0.5 point hairline

**Drug Facts**

**Active ingredient (in each applicator)** Purpose  
 Tioconazole 300 mg (6.5%) Vaginal antifungal

**Use** • treats vaginal yeast infections

**Warnings**  
 For vaginal use only

**Do not use**

- if you have never had a vaginal yeast infection diagnosed by a doctor
- if you have a fever (higher than 100 F), pain in the lower abdomen, back, or either shoulder, or foul-smelling vaginal discharge. You should see a doctor for these symptoms.

**Ask a doctor before use if you have**

- vaginal itching and discomfort for the first time
- symptoms that return within 2 months. You could be pregnant, or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system (which may be due to HIV - the virus that causes AIDS).

**When using this product**

- do not use tampons, douches, spermicides, or other vaginal products
- do not use condoms, or diaphragms, as this product may damage them and they may not prevent sexually transmitted disease or pregnancy.
- do not have vaginal intercourse
- wait 3 days after treatment to resume using condoms or a diaphragm.

**Stop use and ask a doctor if**

- symptoms do not get better after 3 days
- symptoms last more than 7 days. You may have a condition other than a yeast infection
- you get a rash, fever, abdominal pain, or a foul-smelling vaginal discharge

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

- before using, read the enclosed brochure and instructions on foil packet
- adults and children 12 years and over: open the foil packet just before use and remove blue cap. Insert entire contents of applicator into the vagina, preferably at bedtime.
- children under 12: ask a doctor

**Other information**

- this product is a 1-dose treatment, most women do not experience complete relief of their symptoms in just one day. Most women experience some improvement within 1 day and complete relief of symptoms within 7 days.
- if you have questions about vaginal yeast infections, consult your doctor
- store at 15°-30°C (59°-86°F)
- see left side of foil package for lot number and expiration date

**Inactive ingredients** butylated hydroxyanisole, magnesium aluminum silicate, white petrolatum

**Questions or comments?** 1-877-666-4782

Distributed by: Personal Products Company  
 Division of McNeil-PPC Inc., Skillman, NJ 08558-9418  
 © McNeil-PPC, Inc. 2001  
 XX XXXX-XX-XX

Tear Here  
 Do not use if sealed 1-DAY foil packet is torn, open or incompletely sealed


**1-Dose Treatment**

# 1-DAY


TIOCONAZOLE OINTMENT 6.5%  
 VAGINAL ANTIFUNGAL

**DIRECTIONS FOR USING 1-DAY**

- Tear open foil packet just before using. It is best to use at bedtime.
- Remove applicator and plunger from packet. Applicator is prefilled with 1-DAY vaginal ointment.
- While firmly holding the blue-capped end of the applicator, push the tip of the plunger into the base of applicator.



**REMOVE BLUE CAP** from top of applicator with a pull-twist action.



**Insert 1-DAY**

- Lie on your back with your knees bent. Gently insert applicator into the vagina as far as it will go comfortably.
- Push the plunger into the applicator until it will go no farther. Withdraw the applicator and plunger and dispose of it in the wastebasket. Do not flush.
- **DO NOT USE TAMPONS** while using this medicine. Use sanitary napkins instead.

PLEASE READ EDUCATIONAL BROCHURE FOR ADDITIONAL INFORMATION.

-----  
**This is a representation of an electronic record that was signed electronically and  
this page is the manifestation of the electronic signature.**  
-----

/s/

-----  
Linda Katz

8/9/01 01:54:01 PM