TOPICAL ANESTHETIC- benzocaine gel NDC, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Topical Anesthetic Gel - 20% Benzocaine

Gel - 1oz/34g

2731001 Cherry 2731002 Mint

2731004 Pina Colada

2731005 Bubble Gum

2731006 Strawberry

2731007 Raspberry

For dental use only

Rx only

1. INDICATIONS AND USAGE

Indicated as a topical anesthetic for use on oral mucosa prior to local anesthetic injections, scaling and prophylaxis. Also useful to relieve discomfort associated with taking impressions and intra-oral radiographs.

2. DOSAGE AND ADMINISTRATION

- Using a new cotton applicator, apply a small amount of gel to the mucosa to achieve topical anesthesia. Do not reintroduce the cotton applicator into the bottle.
- Tightly re-cap the jar after each use.

3. DOSAGE FORMS AND STRENGTH

Each gram of 20% Benzocaine Gel contains between 180-220 mg benzocaine in a flavored base.

4. CONTRAINDICATIONS

Should not be used with individuals with a known sensitivity to benzocaine or PABA.

5. WARNINGS AND PRECAUTIONS

METHEMOGLOBINEMIA WARNING

Use of this product may cause methemoglobinemia, a rare but serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. Stop use and seek immediate medical attention if the patient in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate

- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy
- Not for use in children under 2 years of age
- Keep out of reach of children
- [For professional dental use only
- Take care not to contaminate the bottle by reintroducing a used cotton applicator into the bottle

6. OVERDOSAGE

In case of overdose, get medical help or contact a Poison Control Center right away.

7. DESCRIPTION

Flavored 20% benzocaine gel for topical mucosa anesthesia

8. HOW SUPPLIED/STORAGE AND HANDLING

20% benzocaine gel is supplied in multiple use containers

Store between 59°-86°F (15°-30°C). Protect from freezing.

For more information call NDC at 1-800-929-4232 Manufactured for NDC Nashville, TN 37217 Made in the USA 2731001DF, R1-120116

PRINCIPAL DISPLAY PANEL - 34 g Jar Label - Cherry

Topical Anesthetic Gel

(20% Benzocaine) For Professional Use Only

Cherry

Q_® **Quala DENTAL PRODUCTS**

2731001

Quala-ty for the caring professional

INGREDIENTS: Each gram of Quala 20% berzocaine gel contains between 180-220 mg berzocaine U.S.P., in a water soluble base of PEG 3350 U.S.P., PEG 400 U.S.P., flavor, sodium saccharin U.S.P., and FD&C Red #40.

USUAL DOSAGE: For oral mucosal use only as directed by dentist.

WARNING: Keep out of reach of children. Do not use on people with known allergies to benzocaine and PABA compounds.

Store at controlled room temperature: 59-96°F (15-30°C).

(R 8/22/08)

For more information call ADC at 1-800-929-4ADC

Manufactured for ADE Nashville, TN 37217

MADE IN U.S.A.

Topical Anesthetic Gel

(20% Benzocaine)
For Professional Use Only

Cherry



2731001

Quala-ty for the caring professional



PRINCIPAL DISPLAY PANEL - 34 g Jar Label - Mint

Topical Anesthetic Gel

(20% Benzocaine) For Professional Use Only

Mint

Q_® Quala

DENTAL PRODUCTS

2731002

Quala-ty for the caring professional

INGREDIENTS: Each gram of Quala 20% benzocaine gel contains between 180-220 mg benzocaine U.S.P., in a water soluble base of PEG 3350 U.S.P., PEG 400 U.S.P., flavor, sodium saccharin U.S.P., and FD&C Green #5.

USUAL DOSAGE: For oral mucosal use only as directed by dentist.

WARNING: Keep out of reach of children. Do not use on people with known allergies to benzocaine and PABA compounds.

Store at controlled room temperature: 59-96°F (15-30°C).

(R 8/22/08)

For more information call ADC at 1-800-929-4ADC Manufactured for ADEC Nashville, TN 37217 MADE IN U.S.A.

Topical Anesthetic Gel

(20% Benzocaine)
For Professional Use Only

Mint



2731002

Quala-ty for the caring professional



PRINCIPAL DISPLAY PANEL - 34 g Jar Label - Piña Colada

Topical Anesthetic Gel

(20% Benzocaine) For Professional Use Only

Piña Colada

Q® **Quala DENTAL PRODUCTS**

2731004

Quala-ty for the caring professional

INGREDIENTS: Each gram of Quala 20% benzocaine gel contains between 180-220 mg benzocaine U.S.P., in a water soluble base of PEG 3350 U.S.P., PEG 400 U.S.P., flavor, sodium saccharin U.S.P.

USUAL DOSAGE: For oral mucosal use only as directed by dentist.

WARNING: Keep out of reach of children. Do not use on people with known allergies to benzocaine and PABA compounds.

Store at controlled room temperature: 59-86°F (15-30°C).

2731024LA (R 8/22/08)

For more information call ADC at 1-800-929-4ADC

Manufactured for INDEQ Nashville, TN 37217

MADE IN U.S.A.

Topical Anesthetic Gel

(20% Benzocaine)
For Professional Use Only

Piña Colada



2731004

Quala-ty for the caring professional



PRINCIPAL DISPLAY PANEL - 34 g Jar Label - Bubble Gum

Topical Anesthetic Gel

(20% Benzocaine) For Professional Use Only

Bubble Gum

2731005

Q® Quala DENTAL PRODUCTS

Quala-ty for the caring professional

INGREDIENTS: Each gram of Quala 20% benzocaine gel contains between 180-220 mg benzocaine U.S.P., in a water soluble base of PEG 3350 U.S.P., PEG 400 U.S.P., flavor, sodium saccharin U.S.P., and FD&C Red #28.

USUAL DOSAGE: For oral mucosal use only as directed by dentist.

WARNING: Keep out of reach of children. Do not use on people with known allergies to benzocaine and PABA compounds.

Store at controlled room temperature: 59-86°F (15-30°C).

2731025LA (R8/22/08

For more information call ADC at 1-800-929-4ADC Manufactured for INC. Nashville, TN 37217 MADE IN U.S.A.

Topical Anesthetic Gel

(20% Benzocaine)
For Professional Use Only

Bubble Gum



2731005

Quala-ty for the caring professional



PRINCIPAL DISPLAY PANEL - 34 g Jar Label - Strawberry

Topical Anesthetic Gel

(20% Benzocaine) For Professional Use Only

Strawberry

Q_® Quala DENTAL PRODUCTS

2731006

Quala-ty for the caring professional

INGREDIENTS: Each gram of Quala 20% benzocaine gel contains between 180-220 mg benzocaine U.S.P., in a water soluble base of PEG 3350 U.S.P., PEG 400 U.S.P., flavor, sodium saccharin U.S.P., and FD&C Red #40.

USUAL DOSAGE: For oral mucosal use only as directed by dentist.

WARNING: Keep out of reach of children. Do not use on people with known

allergies to benzocaine and PABA compounds. Store at controlled room temperature: 59-86°F (15-30°C).

(R 8/22/08)

For more information call ADC at 1-800-929-4ADC

Manufactured for ADC Nashville, TN 37217

MADE IN U.S.A.

Topical Anesthetic Gel

(20% Benzocaine)
For Professional Use Only

Strawberry



2731006

Quala-ty for the caring professional



PRINCIPAL DISPLAY PANEL - 34 g Jar Label - Raspberry

Topical Anesthetic Gel

(20% Benzocaine)
For Professional Use Only

Raspberry

Q® **Quala DENTAL PRODUCTS**

2731007

Quala-ty for the caring professional

INGREDIENTS: Each gram of Quala 20% benzocaine gel contains between 180-220 mg benzocaine U.S.P., in a water soluble base of PEG 3350 U.S.P., PEG 400 U.S.P., flavor, sodium saccharin U.S.P., FD&C Red #28, FD&C Red #40, and FD&C Blue #1.

USUAL DOSAGE: For oral mucosal use only as directed by dentist.

WARNING: Keep out of reach of children. Do not use on people with known allergies to benzocaine and PABA compounds.

Store at controlled room temperature: 59-86°F (15-30°C).

2731027L (R 8/22/08

For more information call ADC at 1-800-929-4ADC

Manufactured for ADC Nashville, TN 37217

MADE IN U.S.A.

Topical Anesthetic Gel

(20% Benzocaine)
For Professional Use Only

Raspberry



2731007

Quala-ty for the caring professional



TOPICAL ANESTHETIC

benzocaine gel

Product Information

 Product Type
 HUMAN PRESCRIPTION DRUG
 Item Code (Source)
 NDC:43128-021

 Route of Administration
 DENTAL

Active Ingredient/Active Moiety

Active Ingredient/Active Molety			
	Ingredient Name	Basis of Strength	Strength
	Benzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	220 mg in 1 g

Inactive Ingredients				
Ingredient Name Str				
Polyethylene Glycol 3350 (UNII: G2M7P15E5P)				
Polyethylene Glycol 400 (UNII: B697894SGQ)				
Saccharin Sodium (UNII: SB8ZUX40TY)				
Water (UNII: 059QF0KO0R)				
D&C RED NO. 40 (UNII: WZB9127XOA)				

Product Characteristics			
Color RED Score		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

ı	Packaging				
ı	# Item Code Package Description		Marketing Start Date	Marketing End Date	
ı	1 NDC:43128-021-30	34 g in 1 JAR; Type 0: Not a Combination Product	02/19/1963		

Marketing Informa			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		02/19/1963	

TOPICAL ANESTHETIC

benzocaine gel

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:43128-023
Route of Administration	DENTAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Benzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	220 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
Polyethylene Glycol 3350 (UNII: G2M7P15E5P)		
Polyethylene Glycol 400 (UNII: B697894SGQ)		
Saccharin Sodium (UNII: SB8ZUX40TY)		

Water (UNII: 059QF0KO0R)	
D&C GREEN NO. 5 (UNII: 8J6RDU8L9X)	

Product Characteristics		
Color GREEN Score		
Shape		Size
Flavor	MINT	Imprint Code
Contains		

	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	1 NDC:43128-023-30	34 g in 1 JAR; Type 0: Not a Combination Product	02/19/1963		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		02/19/1963	

TOPICAL ANESTHETIC

benzocaine gel

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:43128-024
Route of Administration	DENTAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Benzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	220 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
Polyethylene Glycol 3350 (UNII: G2M7P15E5P)	
Polyethylene Glycol 400 (UNII: B697894SGQ)	
Saccharin Sodium (UNII: SB8ZUX40TY)	
Water (UNII: 059QF0KO0R)	

Product Characteristics		
Color	WHITE	Score
Shape		Size
Flavor	COCONUT (Pina Colada)	Imprint Code

Contains

l	Pa	ckaging			
l	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 N	DC:43128-024-30	34 g in 1 JAR; Type 0: Not a Combination Product	02/19/1963	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		02/19/1963	

TOPICAL ANESTHETIC

benzocaine gel

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:43128-022
Route of Administration	DENTAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Benzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	220 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
Polyethylene Glycol 3350 (UNII: G2M7P15E5P)	
Polyethylene Glycol 400 (UNII: B697894SGQ)	
Saccharin Sodium (UNII: SB8ZUX40TY)	
Water (UNII: 059QF0KO0R)	
D&C RED NO. 28 (UNII: 767IP0 Y5NH)	

Product Characteristics			
Color	PINK	Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:43128-022-30	34 g in 1 JAR; Type 0: Not a Combination Product	02/19/1963	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		02/19/1963	

TOPICAL ANESTHETIC

benzocaine gel

D	.1	T C	
Pro	anct	Intor	mation

Product TypeHUMAN PRESCRIPTION DRUGItem Code (Source)NDC:43128-020

Route of Administration DENTAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthBenzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)Benzocaine220 mg in 1 g

Inactive Ingredients Ingredient Name Strength Polyethylene Glycol 3350 (UNII: G2M7P15E5P) Polyethylene Glycol 400 (UNII: B697894SGQ) Saccharin Sodium (UNII: SB8ZUX40TY) Water (UNII: 059QF0KO0R) FD&C RED NO. 40 (UNII: WZB9127XOA)

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

ı	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:43128-020-30	34 g in 1 JAR; Type 0: Not a Combination Product	02/19/1963	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		02/19/1963	

TOPICAL ANESTHETIC

benzocaine gel

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:43128-026
Route of Administration	DENTAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Benzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	220 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
Polyethylene Glycol 3350 (UNII: G2M7P15E5P)		
Polyethylene Glycol 400 (UNII: B697894SGQ)		
Saccharin Sodium (UNII: SB8ZUX40TY)		
Water (UNII: 059QF0KO0R)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		

Product Characteristics		
Color	RED	Score
Shape		Size
Flavor	RASPBERRY	Imprint Code
Contains		

ı	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:43128-026-30	34 g in 1 JAR; Type 0: Not a Combination Product	02/19/1963	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		02/19/1963	

Labeler - NDC, Inc. (009831413)

Establishment			
Name	Address	ID/FEI	Business Operations
Caulk		083235549	MANUFACTURE(43128-021, 43128-023, 43128-024, 43128-022, 43128-020, 43128-026)

Revised: 1/2017 NDC, Inc.