## CLOTRIMAZOLE- clotrimazole solution Taro Pharmaceuticals U.S.A., Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Clotrimazole Topical Solution USP,1%**

**Drug Facts** 

#### **Active ingredient**

Clotrimazole USP, 1%

#### Purpose

Antifungal

#### Uses

- cures most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
- effectively relieves
- itching
- cracking
- burning
- discomfort

which can accompany these conditions

#### **Warnings**

#### For external use only

#### Ask a doctor before use

• on children under 2 years of age

#### When using this product

• avoid contact with eyes

#### Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- This product is not effective on the scalp or nails For best results, follow directions and continue treatment for length of time indicated. For athlete's foot and ringworm: use daily for 4 weeks. For jock itch: use daily for 2 weeks.
- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor

• supervise children in the use of this product

For athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes; change shoes and socks at least once daily

#### Other information

• **Store at 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature].

#### **Inactive ingredient**

polyethylene glycol 400

#### Questions?

Call 1-866-923-4914

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

#### PRINCIPAL DISPLAY PANEL - 10 mL Bottle Carton

Compare to the active ingredient in Lotrimin® AF\*

Cures Most Athlete's Foot

#### Athlete's Foot Solution

#### **Clotrimazole Topical Solution USP,1%**

#### Antifungal

- Relieves Itching & Burning
- *Greaseless*, *Nonstaining*

10 mL ([] fl oz)

Compare to the active ingredient in Lotrimin®AF\*

Cures Most Athlete's Foot

# Athlete's Foot Solution

Clotrimazole Topical Solution USP,1%

**Antifungal** 

- · Relieves Itching & Burning
- Greaseless, Nonstaining

10 mL (1/3 fl oz) Cures Most Athlete's Foot

Antifungal

# Athlete's Foot

Relieves Itching & Burning
Greaseless, Nonstaining

Clotrimazole Topical Solution USP,1%

### **Drug Facts**

Active ingredient Clotrimazole USP, 1%.... Purpose ...Antifungal

#### Uses

- cures most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
- effectively relieves itching cracking burning discomfort which can accompany these conditions

#### Warnings

For external use only

Ask a doctor before use • on children under 2 years of age

When using this product • avoid contact with eyes

#### Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • This product is not effective on the scalp or nails For best results, follow directions and continue treatment for length of time indicated. For athlete's foot and ringworm: use daily for 4 weeks. For jock itch: use daily for 2 weeks.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product

For athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes; change shoes and socks at least once daily

Other information • Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].

Inactive ingredient polyethylene glycol 400

Questions? Call 1-866-923-4914

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Lotrimin® AF.

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

TARO is a registered trademark of Taro Pharmaceuticals U.S.A., Inc. Made in Canada.

PK-1627-4 0416-4





#### **CLOTRIMAZOLE**

clotrimazole solution

Product	Information
F I WUILL	IIIIOI IIIAIIOII

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:51672-2037

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65) Clotrimazole 1 g in 1 mL

#### **Inactive Ingredients**

Ingredient Name Strength

polyethylene glycol 400 (UNII: B697894SGQ)

#### **Packaging**

Ш	r ucmgm5					
	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>		
	1 NDC:51672-2037-1	1 in 1 CARTON	05/01/1996			
П	1	10 mL in 1 BOTTLE; Type 0: Not a Combination Product				

#### **Marketing Information**

Mai keting imormation						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC MONOGRAPH FINAL	part333C	05/01/1996				

#### **Labeler -** Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment							
Name	Address	ID/FEI	Business Operations				
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(51672-2037)				

Revised: 4/2017 Taro Pharmaceuticals U.S.A., Inc.